

# Setting the tone for happy hours





If you wish to set up a truly world class bar or a pub, two brands - Trufrost and Butler combine together to provide you a distinct advantage with its comprehensive bouquet of bar equipment. Presented here is a fabulous range of products for those who care to stand out from the crowd.





The science behind  
world class bars



# CONTENTS

|                      |    |
|----------------------|----|
| Wine Coolers         | 5  |
| Wine Walls           | 15 |
| Bottle Coolers       | 20 |
| Glass Frosters       | 25 |
| Draught Beer Systems | 26 |
| Bar Blenders         | 33 |
| Cold Pressed Juicers | 36 |
| Ice Machines         | 39 |
| Bar Themes           | 41 |

## Wine Coolers



# Romancing with wine





## Traditional Wine Cellar

Wine cellars protect wines from harmful external influences, providing darkness, constant temperature and humidity. Wine is a natural, perishable food product. Left exposed to heat, light, vibration or fluctuations in temperature and humidity, wines can spoil. When properly stored, they not only maintain their quality but many actually improve in aroma, flavour and complexity as they mature.

## Wine Storage - why a normal refrigerator wouldn't do?

If you are a collector of vintage wines and use your refrigerator to store them, you might have already been compromising with the quality of your wines. Normal refrigerators are not designed for wine storage – not only in terms of the temperature they need but also due to lack of UV protection, humidity, vibration control and even the ventilation that is so important for wines. Incorrect warming or cooling can play havoc with the wine's aroma.





## Recommended serving temperatures for different wines

Wine should always be enjoyed at the right temperature. As a general rule, red wine is best served at a temperature between 12°C and 18°C, depending on the origin, grape and year. White wine is best served between 8°C and 12°C. Champagne and fruity dessert wine should be served ice cold, between 5°C and 7°C.

White wines  
**8°C to 12°C**


Red wines  
**12°C to 18°C**

Sparkling wines  
**5°C to 7°C**



## Trufrost Wine Coolers

Wines develop their full flavour when they are stored in the right conditions and served at the right temperature. Trufrost wine coolers ensure that. They create the perfect conditions for optimal storage of all types of wines – be it red, white or sparkling. You can choose among 4 different models with single, double and three temperature zone options.





3 Temperature Zones

**W 133 TZ**

Ideal for a large assortment of wine collection with 3 separate compartments for your reds, whites and champagnes. It can store up to 133 bottles of 0.75 litres.



2 Temperature Zones

**W 100 DZ**

Ideal for a large variety of wine collection with two separate compartments for your reds and whites that can store up to 100 bottles of 0.75 litres.



2 Temperature Zones

**W 30 DZ**

This dual temperature zone cabinet comes with two separate compartments for your reds and whites that can store up to 30 bottles of 0.75 litres - 15 bottles in each compartment.



1 Temperature Zone

**W 18 SZ**

This single temperature zone wine cabinet can be set at a mid-point temperature so as to cater to the storage needs of different wines and can store up to 18 bottles.



# Distinctive Features of Trufrost Wine Coolers

Full glass door with elegant black border

Digital temperature controller with display

Stylish Blue LED under each shelf

Double tempered brown glass with UV protection

Air intake and exhaust from the front allowing built-in applications



Ball bearing track for easy sliding


Beechwood shelves

Stainless Steel Handle


Dual Temperature Zones

Black cabinet and interiors


Lock




# Suggested placement of bottles in Trufrost Wine Coolers




W 133 TZ



W 100 DZ



W 30 DZ



W 18 SZ

## Technical Specifications - Wine Coolers



| Specification                 | W 133 TZ   | W 100 DZ                               | W 30 DZ                                | W 18 SZ                  |
|-------------------------------|--|--|--|--------------------------|
| Bottle Storage (0.75 ltr)     | Upper Zone: 44<br>Middle Zone: 44<br>Lower Zone: 45          | Upper Zone: 44<br>Lower Zone: 56       | Upper Zone: 15<br>Lower Zone: 15       | 18                       |
| Storage Volume (litres)       | 405  | 308                                    | 93                                     | 68                       |
| Dimensions (w*d*h) (mm)       | 598*685*1815   | 598*685*1403                           | 380*610*850                            | 453*512*715              |
| Temperature Range             | Upper Zone 5-15°C<br>Middle Zone 5-15°C<br>Lower Zone 7-18°C | Upper Zone 5-15°C<br>Lower Zone 7-18°C | Upper Zone 5-15°C<br>Lower Zone 7-18°C | 5-18°C                   |
| Temperature Zones             | Three  | Dual                                   | Dual                                   | Single                   |
| Power (w)                     | 200w   | 200w                                   | 190w                                   | 60W                      |
| Digital Temperature Indicator | Yes  | Yes                                    | Yes                                    | Yes                      |
| Lock                          | Yes  | Yes                                    | Yes                                    | No                       |
| Glass Door                    | 2 layered tempered brown                                     | 2 layered tempered brown               | 2 layered tempered brown               | 2 layered tempered brown |
| Door Handle                   | Steel  | Steel                                  | Steel                                  | Steel                    |
| No. of beech wood shelves     | Sliding x 12 + Display x 1                                   | Sliding x 9 + Display x 1              | Sliding x 6                            | Storage x 4              |
| Refrigerant                   | R 600a   | R 600a                                 | R 600a                                 | R 600a                   |
| Cabinet Case & Interior       | Black  | Black                                  | Black                                  | Black                    |
| Lighting under each shelf     | Blue LED   | Blue LED                               | Blue LED                               | Blue LED                 |

Electricals: 220V/50Hz/1 Phase

Specifications are subject to change without prior notice due to continuous product development



## Modular Wine Walls

Trufrost Wine Coolers have a unique 'built-in' feature and allow one unit to be placed next to the other to create a modular, expandable wine wall. This eclectic arrangement can transform your wine collection into a beautiful and stunning focal point. Each of these wine coolers also come with segregated temperature zones for optimally storing your red, white and sparkling wines.



### Distinctive features

- ◆ Segregated temperature zones in each wine cooler
- ◆ Beachwood shelves with ball-bearing tract
- ◆ Black cabinet and interiors
- ◆ Stylish blue LED lighting under each shelf
- ◆ Double tempered brown glass with UV protection
- ◆ Digital temperature controller with display
- ◆ Full glass door with concealed frame & elegant black border


# Modular Wine Walls

Theme 2






# Customized Wine Walls



## Customized Wine Walls

Trufrost customised wine walls provide a conditioned area for a surprisingly large number of bottles – without encroaching greatly on your floor space. They add impact and drama to your bar whilst protecting and showcasing your vintage collection. They are usually fitted with glass doors, combined with internal reflective finishes, backlighting and spotlighting to highlight the wines.





## How long can a bottle of wine stay open?

Here's a practical guide to know as to how long you can keep an open bottle of wine. The better the wine, the longer it will keep in an open bottle. Once opened, oxygen is introduced in the bottle and absorbed into the wine. And that begins to adversely impact the wine.

### White Wine

The wine will not rapidly oxidise if it's been well made. A bottle of Chardonnay, Riesling or Sauvignon Blanc should be expected to last three to four days in a half-full bottle. High-grade wines with a high fill level will last for about a week in the fridge. Even with slight loss of aroma, it will still be palatable. Simpler whites and rosés are probably best enjoyed over two days.

### Red Wine

A red wine will comfortably be in decent shape for three to four days. The more robust the red wine, the more tannin it has to protect itself against oxygen. The denser the red wine, the better it will present itself.

### Sparkling Wine

Open bottles of sparkling wines need stoppers that firmly clamp the bottle. Every time you open the bottle, you lose pressure. If the bottle is half-full, two days is probably best. If it has been open for longer, it will be good for making risotto. The acidity of the wine tends to balance the sweetness of the rice.

# Bottle Coolers



## Visi Coolers

Trufrost Bottle Coolers are designed to chill products quickly, even when the frequency of door openings is high. Fitted with 2 LED lights, they provide an attractive view of the displayed bottles & cans and allow rapid restocking & cooling.



## Back Bars

Trufrost Back Bars come in two options - one in stunning black coloured body and matching door frame and the other in stainless steel exterior. They provide an attractive view of the displayed items – be it bottles or cans. Available in 1, 2 and 3 door options.

## Undercounters in stainless steel

Elegant yet reliable, Trufrost Undercounter Back Bars are made in solid stainless steel and are ergonomically designed to enhance the efficiency of professional bartenders. They are perfect for showcasing bottled and canned beverages.

## Technical Specifications - Bottle Coolers



| Specification         | Back Bars   |             |              | Back Bars in Stainless Steel |              | Glass Door Undercounters |              | Glass Door Undercounters |              |
|-----------------------|-------------|-------------|--------------|------------------------------|--------------|--------------------------|--------------|--------------------------|--------------|
|                       | BB-100      | BB-200      | BB-300       | BB-200SS                     | BB-300SS     | G 2100 TNG               | G 3100 TNG   | GN 2100 TNG              | GN 3100 TNG  |
| Gross Volume (Litres) | 100         | 200         | 300          | 200                          | 300          | 252                      | 380          | 282                      | 417          |
| w*d*h (mm)            | 600*505*865 | 900*505*865 | 1335*505*865 | 900*505*865                  | 1335*505*865 | 1360*600*860             | 1795*600*860 | 1360*700*860             | 1795*700*860 |
| Temperature Range     | 2-10°C      | 2-10°C      | 2-10°C       | 2-10°C                       | 2-10°C       | 2-8°C                    | 2-8°C        | 2-8°C                    | 2-8°C        |
| Power (W)             | 210         | 280         | 350          | 280                          | 350          | 350                      | 350          | 350                      | 350          |
| Lock                  | Yes         | Yes         | Yes          | Yes                          | Yes          | No                       | No           | Yes                      | Yes          |
| Defrost               | Automatic   | Automatic   | Automatic    | Automatic                    | Automatic    | Automatic                | Automatic    | Automatic                | Automatic    |
| No. of Doors          | 1           | 2           | 3            | 2                            | 3            | 2                        | 3            | 2                        | 3            |
| No. of shelves        | 2           | 2           | 2            | 2                            | 2            | 2                        | 3            | 2                        | 3            |
| Refrigerant           | R 134a      | R 134a      | R 134a       | R 134a                       | R 134a       | R 134a                   | R 134a       | R 134a                   | R 134a       |
| Interior Light        | Yes         | Yes         | Yes          | Yes                          | Yes          | Yes                      | Yes          | Yes                      | Yes          |
| Wheels / Castors      | No          | No          | No           | No                           | No           | Yes                      | Yes          | Yes                      | Yes          |

Electricals: 220V/50Hz/1 Phase

Specifications are subject to change without prior notice due to continuous product development





## Visi Coolers

Trufrost brings to India a contemporary range of merchandising solutions that help you increase your sales by showing beverage bottles and cans at their very best. Innovative cooling options suitable for small and large bars and pubs. Available in 50 to 1500 litre capacities and 1 Door/ 2 Door / 3 Door variants.



VC-50

VC-100 (New)

VC-220

VC-320

VC-440

VC-600 NF

VC-999 NF

VC-700 NF,  
VC-1000 NF

VC-1500 NF

VCF-1200 NF

## Technical Specifications - Visi Coolers



| Specification | Gross Volume (Litres) | w x d x h (inches) | Temperature Range | Power (w) | Lock | Defrost   | No. of Lids / Doors | No. of shelves | Interior Light | Wheels / Castors | No. of Compressors | Refrigerant |
|---------------|-----------------------|--------------------|-------------------|-----------|------|-----------|---------------------|----------------|----------------|------------------|--------------------|-------------|
| VC-50         | 50                    | 18 x 20 x 20       | 0-10°C            | 65        | No   | Yes       | 1                   | 2              | LED light      | No               | 1                  | R134a       |
| VC-100 (New)  | 100                   | 18 x 20 x 33       | 0-10°C            | 65        | No   | Yes       | 1                   | 4              | LED light      | No               | 1                  | R134a       |
| VC-220        | 220                   | 21 x 21 x 62       | 0-10°C            | 67.9      | Yes  | Yes       | 1                   | 3              | Normal light   | No               | 1                  | R600a       |
| VC-320        | 280                   | 21 x 24 x 68       | 0-10°C            | 170       | Yes  | Automatic | 1                   | 4              | Yes / 2LEDs    | Yes              | 1                  | R134a       |
| VC-440        | 410                   | 24 x 23 x 77       | 0-10°C            | 170       | Yes  | Automatic | 1                   | 4              | Yes / 1 LED    | No               | 1                  | R134a       |
| VC-600NF      | 530                   | 28 x 27 x 82       | 0-10°C            | 310       | Yes  | Auto      | 1                   | 5              | 1 LED          | 4                | 1                  | R134a       |
| VC-700NF      | 568                   | 35 x 24 x 78       | 1-10°C            | 410       | Yes  | Automatic | 2                   | 10             | Yes / 2LEDs    | Yes              | 1                  | R134a       |
| VC-999NF      | 890                   | 41 x 19 x 69       | 0-10°C            | 475       | Yes  | Auto      | 2                   | 10             | 2 LED          | 4                | 1                  | R134a       |
| VC-1000NF     | 1000                  | 44 x 27 x 82       | 1-10°C            | 470       | Yes  | Automatic | 2                   | 10             | Yes / 2LEDs    | Yes              | 1                  | R134a       |
| VC-1500NF     | 1506                  | 71 x 27 x 82       | 1-10°C            | 875       | Yes  | Automatic | 3                   | 15             | Yes / 5LEDs    | Yes              | 1                  | R134a       |
| VCF-1200NF    | 1100                  | 52 x 27 x 82       | 1-8°C / ≤-18°C    | 970       | Yes  | Automatic | 3                   | 15             | Yes / 3LEDs    | Yes              | 2                  | R404a       |

Electricals: 220V/50Hz/1 Phase

Specifications are subject to change without prior notice due to continuous product development





## Glass Frosters

Trufrost Glass Frosters are a perfect complement to any bar because the frosted ice on the glasses helps keep beverages cold for longer and an enhanced visual appeal for your customers.



### Technical Specifications



| Model     | Gross Volume (L) | Dimensions w*d*h (mm) | Temperature Range | Power (W) | Lock | No. of shelves | Refrigerant | Interior Light |
|-----------|------------------|-----------------------|-------------------|-----------|------|----------------|-------------|----------------|
| GF 201 SS | 200              | 595*628*830           | -18 ~ -22°C       | 130       | Yes  | 2              | R 134a      | Yes            |

Electricals: 220V/50Hz/1 Phase

Specifications are subject to change without prior notice due to continuous product development

# Draught Beer





Pack a punch

## Draught Beer Systems

Draught beer delivers what many consider to be the freshest, most flavorful beer available to the customer. Trufrost Draught Beer Systems are meticulously designed for exact operating conditions and regular maintenance to ensure the proper flow of high-quality beer.

### Key sub-systems of draught beer

#### Gas

Draught systems use CO<sub>2</sub> alone or mixed with nitrogen in varying proportions to maintain correct carbonation in the beer.

#### Beer

During the journey from keg to glass, we want to protect the beer from anything that would compromise its flavour or alter the carbonation created by the brewery.

#### Cooling

The cooling system should hold beer at a constant temperature from keg to glass. Any increase in beer temperature between the cooler and the faucet can lead to dispense problems such as foaming.



## Beer Coolers

Our cooling systems hold beer at a constant temperature from keg to glass and prevent any increase in beer temperature between the cooler and the faucet. You have the option of choosing between the following types of beer coolers.



Counter Top Beer Coolers



CTB-1, CTB-2

Under Counter Beer Coolers



UBC-100, UBC-150

Mobile Coolers



MBC-2

Kegeators



UDD-1, UDD-24-60SS

## Technical Specifications - Beer Coolers



| Model No. | Dispensing Capacity (L) | Water Tank (Litres) | Dimensions w x d x h (mm) | Temperature Range | Power (w) | Compressor Power (Hp) | Ice bank (kg) | Pumping Capacity (L/H) | Water Pump Head (m) | Net Weight | Refrigerant | Max Taps |
|-----------|-------------------------|---------------------|---------------------------|-------------------|-----------|-----------------------|---------------|------------------------|---------------------|------------|-------------|----------|
| CTB-1     | 40                      | 14                  | 430x420x290               | 3 -7°C            | 220       | 1/4 HP                | 7-9,          | -                      | -                   | 21         | R - 134 A   | 1        |
| CTB -2    | 40                      | 14                  | 430x420x290               | 3 -7°C            | 220       | 1/4 HP                | 7-9,          | -                      | -                   | 23         | R - 134 A   | 2        |
| UBC - 100 | 90/100                  | 40                  | 480x460x680               | 3 -7°C            | 350-400   | 1/4 HP, 1/3 HP        | 15-18, 17-19  | 780                    | 6.5                 | 30-35      | R - 134 A   | 1-4,     |
| UBC - 150 | 150                     | 55                  | 480x490x720               | 3 -7°C            | 410       | 1/3+ HP               | 24-26,        | 780                    | 6.5                 | 42-46      | R - 134 A   | 1-8,     |
| MBC - 2   | 200                     | 70                  | 80x560x900                | 3 -7°C            | 430       | 1/3+ HP               | 30-38,        | 780                    | 6.5                 | 45-48      | R - 134 A   | 2        |

| Model No.       | Doors | Capacity (Litres) | Dimensions w x d x h (mm) | Temperature Range | Compressor Power (Hp) | KEG Capacity 50 Liters | KEG Capacity 20 Liters | Refrigerant | Max Taps |
|-----------------|-------|-------------------|---------------------------|-------------------|-----------------------|------------------------|------------------------|-------------|----------|
| UDD - 1         | 1     | 186               | 596x772x983               | 0.5°C-3.3°C       | 1/6 HP                | 1                      | 2                      | R - 134 A   | 1        |
| UDD - 24 -60 SS | 2     | 446               | 1544x620x905              | 0°C-5°C           | 1/3+ HP               | 2                      | 6                      | R - 134 A   | 2        |

Electricals: 220V/50Hz

Specifications are subject to change without prior notice due to continuous product development





## Beer Towers

You can choose between a wide range of designs and finishes. Single and multi-tap variants are available aside of designs with ice effect or condensation.



Cobra-2



Europa-3



UBT-6

## Beer Taps

Beer Taps dispense beer into the glass. They often hold the tap marker to identify the type of beer being dispensed. These faucets use a diaphragm to stop beer flow when the handle is in the off position.



Standard Tap



Ball Tap



Stout Tap

## Drip Trays

Drip tray are placed below the faucets for collecting the beer that may get sprinkled and needs to be drained out. They are designed to empty into a drain or floor sink.



Drip Tray



Drip Tray with Rinser



Drip Tray with Steel Clamp

## Couplers

We offer reliable couplers through which gas flows in and beer flows out of a keg.



A-Type Coupler



G-Type Coupler



S-Type Coupler

## CO<sub>2</sub> Regulators

A regulator adjusts and controls the flow of gas from any source. High pressure gauge shows the tank or supply pressure, and a second low pressure gauge shows what is being delivered to the keg.



CO<sub>2</sub> Regulator







Blending a heady mix

## Bar Blenders with Acoustic Enclosure

TruBlend 2.2AQT model features an advanced acoustic enclosure that reduces blending noise by up to 80% without compromising on its ruggedness or your customers' experience. Ideal for bars, pubs, cafés, juice bars and clubs, it is perfect for crushing ice in seconds, making cocktails, frothy milkshakes, smoothies, frappes and more.



### Technical Specifications

| Model            | Power | Motor Power | Jar Capacity | Timer |
|------------------|-------|-------------|--------------|-------|
| TruBlend 2.2 AQT | 1680W | 2.2 HP      | 2.5 Litre    | Yes   |

Voltage: 220-240V/50Hz

Specifications are subject to change without prior notice due to continuous product development





## Bar Blenders

Butler TruBlend 2.2T blenders are ideal for bars, pubs, cafés, juice bars and clubs. They are perfect for crushing ice in seconds, making cocktails, frothy milkshakes, smoothies, frappes, cold coffee and more.



### Technical Specifications



| Model          | Power | Motor Power | Jar Capacity | Timer |
|----------------|-------|-------------|--------------|-------|
| TruBlend 2.2 T | 1680W | 2.2 HP      | 2.5 Litre    | Yes   |

Voltage: 220-240V/50Hz

Specifications are subject to change without prior notice due to continuous product development



# Immunity boosters

## JUICES

- THE CHIEF**  
BROOK NUTS, HEMP SEEDS, VANILLA, COCONUT SUGAR AND WATER \$4
- THE COVE**  
CUCUMBER, CARROT, BEET, APPLE, LIME AND GINGER \$4
- THE GRIND**  
PINEAPPLE, PINEAPPLE WITH CUCUMBER, GALE, GALT AND GINGER \$4
- THE BEACH**  
STRAWBERRIES, PEACH, LIME, GINGER AND COCONUT WATER \$4

## SMOOTHIES

- THE CHIEF**  
BROOK NUTS, HEMP SEEDS, VANILLA, COCONUT SUGAR AND WATER \$4
- THE COVE**  
CUCUMBER, CARROT, BEET, APPLE, LIME AND GINGER \$4
- THE GRIND**  
PINEAPPLE, PINEAPPLE WITH CUCUMBER, GALE, GALT AND GINGER \$4
- THE BEACH**  
STRAWBERRIES, PEACH, LIME, GINGER AND COCONUT WATER \$4

## BUILD YOUR OWN

- JUICE**  
SELECT INGREDIENTS FROM HEALTH BAR \$7
- SMOOTHIE**  
SELECT INGREDIENTS FROM HEALTH BAR \$6
- SALAD**  
SELECT INGREDIENTS FROM HEALTH BAR \$6
- FROZEN YOGHURT**  
SELECT INGREDIENTS FROM HEALTH BAR \$6



## Commercial Cold Pressed Juicers



Butler's Commercial Cold Pressed Juicer comes with a robust 4 hour heavy duty motor designed to extract juices faster. It expels dry pulp resulting in an enhanced juice yield. Its special masticating system presses the food, releasing their deeply entrenched nutrients and enzymes. The slow RPM ensures a richer texture of juices.

Comes with

- ◆ 1 Polyethylenimine (PEI) strainer
- ◆ 1 grey transparent ice cream strainer
- ◆ 2 grey transparent pulp containers
- ◆ 1 smoothie strainer

### Technical Specifications



| Model   | Power | Rated Working Time | Rated Interval Time | Dimensions (WxDxH) |
|---------|-------|--------------------|---------------------|--------------------|
| CPJ-600 | 240W  | 4 Hours            | 30 min              | 250 x 160 x 470 mm |

Voltage: 220-240V/50Hz

Specifications are subject to change without prior notice



Spice it with ice



# Ice Machines

Ice is a food product and deserves due attention when planning your bar. It allows you to remain in control of water quality and purity. Trufrost offers high quality ice cube making machines with self-contained storage bins considered highly appropriate for bars. They produce full dice ice cubes that are consistent in shape and size. Models IC 35BW & IC 50BW can also take in a bottled water jar on top.



IC-35BW



IC-50BW



IC-100



IC-200 / 300 / 455 / 900

## Technical Specifications



| Model    | Rated Capacity / 24 hrs.* | Ice Storage Capacity | Power (w) | Cube Shape / Size  | Refrigerant | Dimensions wxdxh (in mm) | Compatible Storage Bin |
|----------|---------------------------|----------------------|-----------|--------------------|-------------|--------------------------|------------------------|
| IC 35BW  | 36 Kg                     | 15 Kg                | 300       | Dice / 22*22*22 mm | R404a       | 500*450*840              | n/a                    |
| IC 50 BW | 50 Kg                     | 18 Kg                | 360       | Dice / 28*28*22 mm | R404a       | 500*590*850              | n/a                    |
| IC 100   | 98 Kg                     | 36 Kg                | 580       | Dice / 28*28*22 mm | R404a       | 660*685*920              | n/a                    |
| IC 200   | 192 Kg                    | 105 Kg               | 1100      | Dice / 28*28*22 mm | R404a       | 560*830*1718             | B-105                  |
| IC 300   | 318 Kg                    | 125 Kg               | 1420      | Dice / 28*28*22 mm | R404a       | 760*830*1718             | B-125                  |
| IC 455   | 455 Kg                    | 125 Kg               | 2300      | Dice / 28*28*22 mm | R404a       | 760*830*1893             | B-125                  |
| IC 900   | 910 Kg                    | 315 Kg               | 3800      | Dice / 28*28*22 mm | R404a       | 1227*973*2048            | B-315                  |

\* At 10°C incoming water and 10°C air temperature  
Specifications are subject to change without prior notice

Electricals: 220V/50Hz./Single Phase  
Height for IC-200/300/455/900 is with the suggested storage bin



We just raised the bar



## Bars with oomph

While the bars and pubs are known to raise the spirits of their guests, the eclectic variety of designs and themes adopted by designers and bar owners often set them apart. Some of them attempt to transport you in a visually different world. A space you are comfortable letting your hair down, where you can make engaging conversations, and have fun. Presented in the pages ahead are some themes to excite the imagination of those wishing to set up bars that spell class, bars that have oomph.




















Happy hours



## Drink and derive



### 3. Drunk

Drunk. Adj. Suffering from vision, hearing & speech impairment, with an insatiable appetite for what moves. Possessing an illogical belief that he/she is gorgeous despite dribbling and slobbering.

### 1. Sober

Sober. Adj. Possessed of iron will, but often lacking a sense of humour. Helpful with washing up, finding cd's and lifts home. Probably in need of several stiff drinks!

Everyone  
should have fun





[www.kanteenindia.com](http://www.kanteenindia.com)

[www.trufrost.com](http://www.trufrost.com)

**KANTEEN INDIA EQUIPMENTS CO.**

**CB-59, Sec-1, Salt Lake City, Near Tank No. 2,  
Beside IndusInd Bank, Kolkata 700064, WB, India  
M: +91-8100-777-000 | E: [sales@kanteenindia.com](mailto:sales@kanteenindia.com)  
[www.kanteenindia.com](http://www.kanteenindia.com) | [www.facebook.com/kanteenindia](http://www.facebook.com/kanteenindia)**