



# HOSHIZAKI



STAINLESS  
STEEL SERIES

**Kanteen**<sup>®</sup>  
SINCE 1950

# UPRIGHT CHILLER / FREEZER



## CHILLER


## FREEZER



**HRWH77MS4 / LS4**


**Volume:** 628 Liters  
**Dimensions (with 90mm leg):** 700 (W) x 818 (D) x 1990 (H)  
**Power Supply:** 230V AC / 50Hz  
**Temperature Range:** -2°C to 12°C  
**Shelf:** 4 nos. of shelves

**Product Variation:**



## HFWH77MS4 / LS4


**Volume:** 628 Liters  
**Dimensions (with 90mm leg):** 700 (W) x 818 (D) x 1990 (H)  
**Power Supply:** 230V AC / 50Hz  
**Temperature Range:** -7°C to -25°C  
**Shelf:** 4 nos. of shelves



**HRWH127MS4 / LS4**


**Volume:** 1119 Liters  
**Dimensions (with 90mm leg):** 1200 (W) x 818 (D) x 1990 (H)  
**Power Supply:** 230V AC / 50Hz  
**Temperature Range:** -2°C to 12°C  
**Shelf:** 8 nos. of shelves

**Product Variation:**



## HFWH127MS4 / LS4

**Volume:** 1119 Liters  
**Dimensions (with 90mm leg):** 1200 (W) x 818 (D) x 1990 (H)  
**Power Supply:** 230V AC / 50Hz  
**Temperature Range:** -7°C to -25°C  
**Shelf:** 8 nos. of shelves



**HRWH147MS4 / LS4**

**Volume:** 1365 Liters  
**Dimensions (with 90mm leg):** 1400 (W) x 818 (D) x 1990 (H)  
**Power Supply:** 230V AC / 50Hz  
**Temperature Range:** -2°C to 12°C  
**Shelf:** 8 nos. of shelves

**Product Variation:**



## HFWH147MS4 / LS4

**Volume:** 1365 Liters  
**Dimensions (with 90mm leg):** 1400 (W) x 818 (D) x 1990 (H)  
**Power Supply:** 230V AC / 50Hz  
**Temperature Range:** -7°C to -25°C  
**Shelf:** 8 nos. of shelves



**Kanteen**<sup>®</sup>  
 SINCE 1950




**Volume:**  
**Dimensions (with 90mm leg):**  
**Power Supply:**  
**Temperature Range:**  
**Shelf:**

**HRW-187MS4 / LS4**


1720 Liters  
 1800 (W) x 818 (D) x 1990 (H)  
 230V AC / 50Hz  
 -2°C to +12°C  
 12 nos. of shelves

**Product Variation:**



**HFW-187MS4 / LS4**

1720 Liters  
 1800 (W) x 818 (D) x 1990 (H)  
 230V AC / 50Hz  
 -7°C to -25°C  
 12 nos. of shelves




**UPRIGHT COMBI**



**HRFWH77MS4 / LS4**


**Volume:**  
**Dimensions (with 90mm leg):**  
**Power Supply:**  
**Temperature Range:**  
**Shelf:**  
**Product Variation:**

Freezer: 305 Liters  
 Chiller: 305 Liters  
 700 (W) x 818 (D) x 1990 (H)  
 230V AC / 50Hz  
 Freezer: -16°C to -25°C  
 Chiller: -2°C to 12°C  
 4 nos. of shelves



**HRFWH127MS4 / LS4**

Freezer: 510 Liters  
 Chiller: 510 Liters  
 1200 (W) x 818 (D) x 1990 (H)  
 230V AC / 50Hz  
 Freezer: -7°C to -25°C  
 Chiller: -2°C to 12°C  
 8 nos. of shelves



**LONG GLASS UNITS**



**HRWH77LS4-LG**

**Volume:**  
**Dimensions:**  
**Power Supply:**  
**Temperature Range:**  
**Door / Shelf:**

628 Liters  
 700 (W) x 818 (D) x 2050 (H)  
 230V AC / 50Hz  
 -2°C to 12°C  
 Full Glass Door - 4 Shelves



**HRWH127LS4-LG**

1119 Liters  
 1200 (W) x 818 (D) x 2050 (H)  
 230V AC / 50Hz  
 -2°C to 12°C  
 Full Glass Door - 8 Shelves

# STATIC RANGE

**Kanteen**<sup>®</sup>  
SINCE 1950



### HRW-76

507 Liter  
680 (W) x 760 (D) x 1890  
230V AC / 50 Hz  
-2°C to 12°C  
4 Nos  
Basic Model

**Volume:**  
**Dimensions (with 90mm leg):**  
**Power Supply:**  
**Temperature Range**  
**Shelf:**  
**Product Variations:**



### HRW-126

988 Liter  
1220 (W) x 760 (D) x 1890  
230V AC / 50 Hz  
-2°C to 12°C  
8 Nos  
Basic Model



### RTSW97MS4-GNTE

270 Liters  
900 (W) X 700 (D) X 1056 (H)  
230V AC / 50 Hz  
-2°C to 8°C  
4 nos. of shelves / 4 rail sets

**Volume:**  
**Dimensions (with Castors):**  
**Power Supply:**  
**Temperature Range:**  
**Shelf:**



### RTSW137MS4-GNTE

447 Liters  
1350 (W) X 700 (D) X 1056 (H)  
230V AC / 50 Hz  
-2°C to 8°C  
6 nos. of shelves / 6 rail sets

# DRAWER SERIES


**Kanteen**<sup>®</sup>  
SINCE 1950



## RTDW137MS4-33

**Volume:** 305 Liters  
**Dimensions (with 150mm leg):** 1300 (W) x 700 (D) x 850 (H)  
**Power Supply:** 230V AC / 50Hz  
**Temperature Range:** -2°C to 12°C  
**Shelf:** NA

### Product Variation:



## RTDW187MS4-333

**Volume:** 461 Liters  
**Dimensions (with 150mm leg):** 1765 (W) x 700 (D) x 850 (H)  
**Power Supply:** 230V AC / 50Hz  
**Temperature Range:** -2°C to 12°C  
**Shelf:** NA

### Product Variation:



# UNDER COUNTER CHILLER / FREEZER



## CHILLER

## FREEZER



**Volume:** 171 Liters  
**Dimensions (with 150mm leg):** 700 (W) x 755 (D) x 850 (H)  
**Power Supply:** 230V AC / 50Hz  
**Temperature Range:** -2°C to 12°C  
**Shelf:** 2 nos. of shelves


**Product Variation:**



With Glass GN Suitable With Splash Back Top 150mm

### FTWH70MS4 / LS4

**Volume:** 171 Liters  
**Dimensions (with 150mm leg):** 700 (W) x 755 (D) x 850 (H)  
**Power Supply:** 230V AC / 50Hz  
**Temperature Range:** -7°C to -23°C  
**Shelf:** 2 nos. of shelves



GN Suitable With Splash Back Top 150mm



**Volume:** 306 Liters  
**Dimensions (with 150mm leg):** 1200 (W) x 750 (D) x 850 (H)  
**Power Supply:** 230V AC / 50Hz  
**Temperature Range:** -2°C to 12°C  
**Shelf:** 4 nos. of shelves


**Product Variation:**



With Splash Back Top 150mm Prep. Table Single Row Prep. Table Double Row Prep. Table Single Row with SB Prep. Table Double Row with SB

### FTWH120MS4 / LS4

**Volume:** 306 Liters  
**Dimensions (with 150mm leg):** 1200 (W) x 750 (D) x 850 (H)  
**Power Supply:** 230V AC / 50Hz  
**Temperature Range:** -7°C to -23°C  
**Shelf:** 4 nos. of shelves



With Splash Back Top 150mm



**Volume:** 233 Liters  
**Dimensions (with 150mm leg):** 1200 (W) x 600 (D) x 850 (H)  
**Power Supply:** 230V AC / 50Hz  
**Temperature Range:** -2°C to 12°C  
**Shelf:** 4 nos. of shelves

**Product Variation:**



With Glass With Splash Back Top 150mm Prep. Table Single Row Prep. Table Single Row with SB

### FTWH126MS4 / LS4

**Volume:** 233 Liters  
**Dimensions (with 150mm leg):** 1200 (W) x 600 (D) x 850 (H)  
**Power Supply:** 230V AC / 50Hz  
**Temperature Range:** -7°C to -23°C  
**Shelf:** 4 nos. of shelves



With Splash Back Top 150mm



**Volume:** 418 Liters  
**Dimensions (with 150mm leg):** 1500 (W) x 750 (D) x 850 (H)  
**Power Supply:** 230V AC / 50Hz  
**Temperature Range:** -2°C to 12°C  
**Shelf:** 4 nos. of shelves

**Product Variation:**



With Splash Back Top 150mm Prep. Table Single Row Prep. Table Double Row Prep. Table Single Row with SB Prep. Table Double Row with SB

### FTWH150MS4 / LS4

**Volume:** 418 Liters  
**Dimensions (with 150mm leg):** 1500 (W) x 750 (D) x 850 (H)  
**Power Supply:** 230V AC / 50Hz  
**Temperature Range:** -7°C to -23°C  
**Shelf:** 4 nos. of shelves



With Splash Back Top 150mm



**Volume:** 318 Liters  
**Dimensions (with 150mm leg):** 1500 (W) x 600 (D) x 850 (H)  
**Power Supply:** 230V AC / 50Hz  
**Temperature Range:** -2°C to 12°C  
**Shelf:** 4 nos. of shelves

**Product Variation:**



With Glass With Splash Back Top 150mm Prep. Table Single Row Prep. Table Single Row with SB

### FTWH156MS4/LS4

**Volume:** 318 Liters  
**Dimensions (with 150mm leg):** 1500 (W) x 600 (D) x 850 (H)  
**Power Supply:** 230V AC / 50Hz  
**Temperature Range:** -7°C to -23°C  
**Shelf:** 4 nos. of shelves



With Splash Back Top 150mm

• LS4 INDICATES LED (OPTIONAL)



**CHILLER**

**FREEZER**



**RTWH127MS4-GN / LS4-GN**

**Volume:** 282 Liters  
**Dimensions (with 150mm leg):** 1200 (W) x 700 (D) x 850 (H)  
**Power Supply:** 230V AC / 50Hz  
**Temperature Range:** -2°C to 12°C  
**Shelf:** 4 nos. of shelves

**Product Variation:**



**FTWH127MS4-GN / LS4-GN**

**Volume:** 282 Liters  
**Dimensions (with 150mm leg):** 1200 (W) x 700 (D) x 850 (H)  
**Power Supply:** 230V AC / 50Hz  
**Temperature Range:** -7°C to -23°C  
**Shelf:** 4 nos. of shelves



**RTWH177MS4-GN / LS4-GN**

**Volume:** 436 Liters  
**Dimensions (with 150mm leg):** 1660 (W) x 700 (D) x 850 (H)  
**Power Supply:** 230V AC / 50Hz  
**Temperature Range:** -2°C to 12°C  
**Shelf:** 6 nos. of shelves

**Product Variation:**



**FTWH177MS4-GN / LS4-GN**

**Volume:** 436 Liters  
**Dimensions (with 150mm leg):** 1660 (W) x 700 (D) x 850 (H)  
**Power Supply:** 230V AC / 50Hz  
**Temperature Range:** -7°C to -23°C  
**Shelf:** 6 nos. of shelves



**RTWH180MS4 / LS4**

**Volume:** 526 Liters  
**Dimensions (with 150mm leg):** 1800 (W) x 750 (D) x 850 (H)  
**Power Supply:** 230V AC / 50Hz  
**Temperature Range:** -2°C to 12°C  
**Shelf:** 6 nos. of shelves

**Product Variation:**



**FTWH180MS4 / LS4**

**Volume:** 526 Liters  
**Dimensions (with 150mm leg):** 1800 (W) x 750 (D) x 850 (H)  
**Power Supply:** 230V AC / 50Hz  
**Temperature Range:** -7°C to -23°C  
**Shelf:** 6 nos. of shelves



**RTWH186MS4 / LS4**

**Volume:** 400 Liters  
**Dimensions (with 150mm leg):** 1800 (W) x 600 (D) x 850 (H)  
**Power Supply:** 230V AC / 50Hz  
**Temperature Range:** -2°C to 12°C  
**Shelf:** 6 nos. of shelves

**Product Variation:**



**FTWH186MS4 / LS4**

**Volume:** 400 Liters  
**Dimensions (with 150mm leg):** 1800 (W) x 600 (D) x 850 (H)  
**Power Supply:** 230V AC / 50Hz  
**Temperature Range:** -7°C to -23°C  
**Shelf:** 6 nos. of shelves



• LS4 INDICATES LED (OPTIONAL)

# BACK BAR REFRIGERATOR

**Kanteen**<sup>®</sup>  
SINCE 1950



CHILLER



## RBWH95

|                             |                             |
|-----------------------------|-----------------------------|
| <b>Volume:</b>              | 226 Liters                  |
| <b>Dimensions (mm):</b>     | 900 (W) x 561 (D) x 900 (H) |
| <b>Power Supply:</b>        | 230V AC / 50Hz              |
| <b>Temperature Range:</b>   | 0°C to +10°C                |
| <b>Shelf:</b>               | 4 nos.                      |
| <b>Refrigerant:</b>         | R-290 / 50 gram             |
| <b>Compressor Capacity:</b> | 262W                        |
| <b>Temperature Control:</b> | Thermostat                  |
| <b>Bottle Loading:</b>      | 153 nos. Pint bottles       |



## RBWH135

|                             |                              |
|-----------------------------|------------------------------|
| <b>Volume:</b>              | 349 Liters                   |
| <b>Dimensions:</b>          | 1350 (W) x 561 (D) x 900 (H) |
| <b>Power Supply:</b>        | 230V AC / 50Hz               |
| <b>Temperature Range:</b>   | 0°C to +10°C                 |
| <b>Shelf:</b>               | 6 nos.                       |
| <b>Refrigerant:</b>         | R-290 / 54 gram              |
| <b>Compressor Capacity:</b> | 412W                         |
| <b>Temperature Control:</b> | Thermostat                   |
| <b>Bottle Loading:</b>      | 236 nos. Pint bottles        |



## FEATURES :-

- Powder Coated Galvanized Inner and Outer Parts
- 2 Pane Tempered Glass
- R-290 Refrigeration System for Best Chilling Capacity
- No Sharp Edges or Corners at Accessible Area
- Full Height Handle for Door Opening
- Digital Temperature Indicator
- Plastic Coated Shelves for Rust Free Life
- Best in Class Motors

# DISHWASHER

**Kanteen**<sup>®</sup>  
SINCE 1950



Heavy Duty



Easy Maintenance



Hygiene



Efficiency

## UNDERCOUNTER

### WBY-50T-PDT

**Dimensions (mm):** Electricity  
**Consumption:** Washing  
**Capacity (Basket/hr):** Washing  
**Tank Capacity:** Boiler Tank  
**Capacity:** Washing Pump  
**Power:** Rinsing Pump Power:  
**Washing Heat Power:** Rinsing  
**Heat Power:** Max. Noise:

595 (W) x 645 (D) x 830 (H)  
5.5 kW 220-240 V 50 Hz  
35/27/23/20/18 27 ltr 6 ltr  
0.66 kW 0.25 kW 2 kW 5 kW  
70 dBA

## HOOD TYPE WBM-1080-

### T

700 (W) x 785 (D) x 1480 (1960) (H)  
9.66 kW 380 V 3NPE 50 Hz  
69/35/27/23/18 22 ltr 7 ltr 0.66 kW  
0.25 kW 2 kW 9 kW 75 dBA

# GLASSWASHER



## UNDERCOUNTER

### WBY-40T-PDT

**Dimensions (mm):**  
**Electricity Consumption:**  
**Washing Capacity (Basket/hr):**  
**Washing Tank Capacity:**  
**Boiler Tank Capacity:**  
**Washing Pump Power:**  
**Washing Heat Power:**  
**Rinsing Heat Power:**  
**Max. Noise:**

475 (W) x 540 (D) x 765 (H)  
3.3 kW 220-230V NPE 50  
Hz 33/26/18 18.4 ltr 2.8 ltr  
0.31 kW 2 kW 3 kW 70 dBA



Heavy Duty



Easy Maintenance



Hygiene



Efficiency

# PREMIUM UPRIGHT SERIES



**Kanteen**<sup>®</sup>  
SINCE 1950



## CHILLER

### HRWP77

**Volume:** 620 ltrs  
**Dimensions (with 90 mm leg):** 700 (W) x 887 (D) x 1990 (H)  
**Power Supply:** 230V AC / 50Hz  
**Temperature Range:** -2°C to 12°C  
**Shelf:** 4 nos. of shelves

## FREEZER

### HFWP77

**Volume:** 620 ltrs  
**Dimensions (with 90 mm leg):** 700 (W) x 887 (D) x 1990 (H)  
**Power Supply:** 230V AC / 50Hz  
**Temperature Range:** -7°C to -25°C  
**Shelf:** 4 nos. of shelves



## CHILLER

### HRWP147

**Volume:** 1350 ltrs  
**Dimensions (with 90 mm leg):** 1400 (W) x 887 (D) x 1990 (H)  
**Power Supply:** 230V AC / 50Hz  
**Temperature Range:** -2°C to 12°C  
**Shelf:** 8 nos. of shelves

## FREEZER

### HFWP147

**Volume:** 1350 ltrs  
**Dimensions (with 90 mm leg):** 1400 (W) x 887 (D) x 1990 (H)  
**Power Supply:** 230V AC / 50Hz  
**Temperature Range:** -7°C to -25°C  
**Shelf:** 8 nos. of shelves

## NSF READY SANITARY CONSTRUCTION



Easy to Clean



Rounded Inner Cabinet Corners



No Sharp Edges or Corners at Accessible Area

## FEATURES

- Door with integrated handle
- Reversible Door Option
- Integrated Fan guard in SS dew collector
- Auto Door Close
- Door Lock
- Big Controller Display
- Low maintenance MS Wire & tube powder coated
- Cleanable and replaceable antifungal grade magnetic gasket
- Top mounted Split type refrigeration system
- Powerful cooling
- Anti-condensate heat loop on cabinet
- Swing Canopy to access Controller box & Condensing unit

## CUSTOMIZED CONTROLLER



Illuminated Logo



Big Size Display



Always on Power Display



Soft Touch Buttons



Eco Mode



°C or °F Selection

# PREMIUM UNDER COUNTER SERIES



**304**  
STAINLESS  
STEEL

**Kanteen**<sup>®</sup>  
SINCE 1950



## CHILLER

### RTWP127-GN

**Volume:** 282 ltrs  
**Dimensions (with 150 mm leg):** 1200 (W) x 700 (D) x 850 (H)  
**Power Supply:** 230V AC / 50Hz  
**Temperature Range:** -2°C to 12°C  
**Shelf:** 4 nos. of GN rail

## FREEZER

### FTWP127-GN

**Volume:** 282 ltrs  
**Dimensions (with 150 mm leg):** 1200 (W) x 700 (D) x 850 (H)  
**Power Supply:** 230V AC / 50Hz  
**Temperature Range:** -7°C to -23°C  
**Shelf:** 4 nos. of GN rail



## CHILLER

### RTWP177-GN

**Volume:** 436 ltrs  
**Dimensions (with 150 mm leg):** 1660 (W) x 700 (D) x 850 (H)  
**Power Supply:** 230V AC / 50Hz  
**Temperature Range:** -2°C to 12°C  
**Shelf:** 6 nos. of GN rail

## FREEZER

### FTWP177-GN

**Volume:** 436 ltrs  
**Dimensions (with 150 mm leg):** 1660 (W) x 700 (D) x 850 (H)  
**Power Supply:** 230V AC / 50Hz  
**Temperature Range:** -7°C to -23°C  
**Shelf:** 6 nos. of GN rail

## CUSTOMIZED CONTROLLER



Illuminated Logo



Big Size Display



Always on  
Power Display



Soft Touch Buttons



Eco Mode



°C or °F Selection

## NSF READY SANITARY CONSTRUCTION




Easy to Clean



Rounded Inner  
Cabinet Corners



No Sharp Edges  
or Corners at  
Accessible Area




**RELIABLE SERVICE**  
 Our extensive service network ensures swift service and maintenance for all Western Equipment.  
 Call us at : +91-8100-777-000


**COMPLETE SALES SUPPORT**  
 Reach out at : +91-8100-777-000



**KANTEEN INDIA EQUIPMENTS CO.**

CB-59, Sector 1, Salt Lake City, Kolkata 700064, WB, India

Customer Care: +91-8100-777-000

E-mail: sales@kanteenindia.com | service@kanteenindia.com

Website: www.kanteenindia.com



**WANT TO KNOW MORE?**  
**SCAN HERE!**

# SUS

## PREMIUM SERIES

**Kanteen**<sup>®</sup>  
SINCE 1950



**304**

STAINLESS  
STEEL



### UPRIGHT SERIES

#### CHILLER

##### HRWP77LS3-GN

**Gross Volume:** 620 ltrs  
**Net Volume:** 557 ltrs  
**Dimensions (with 90 mm leg):** 700 (W) x 887 (D) x 1990 (H)  
**Power Supply:** 230V AC / 50Hz  
**Temperature Range:** -2°C to 12°C  
**Shelf:** 4 nos. of GN rail (with shelves)

##### HRWP147LS3-GN

1350 ltrs  
 1210 ltrs  
 1400 (W) x 887 (D) x 1990 (H)  
 230V AC / 50Hz  
 -2°C to 12°C  
 8 nos. of GN rail (with shelves)

#### FREEZER

##### HFWP77LS3-GN

620 ltrs  
 557 ltrs  
 700 (W) x 887 (D) x 1990 (H)  
 230V AC / 50Hz  
 -7°C to -25°C  
 4 nos. of GN rail (with shelves)

##### HFWP147LS3-GN

1350 ltrs  
 1210 ltrs  
 1400 (W) x 887 (D) x 1990 (H)  
 230V AC / 50Hz  
 -7°C to -25°C  
 8 nos. of GN rail (with shelves)

#### NSF READY SANITARY CONSTRUCTION



Easy to Clean



Rounded Inner Cabinet Corners



No Sharp Edges or Corners at Accessible Area

#### CUSTOMIZED CONTROLLER



Illuminated Logo



Big Size Display



Always on Power Display



Soft Touch Buttons



Eco Mode



°C or °F Selection

#### MAIN FEATURES



Super Tropicalized



Energy Efficient



Maintenance Free



Green Technology



Smart Energy Saving Electronic Controller



Durable SS Parts



160~270v Operational Wide Voltage Compatibility

# SUS

## PREMIUM SERIES

**Kanteen**<sup>®</sup>  
SINCE 1950



**304**  
STAINLESS  
STEEL



### UNDER COUNTER SERIES

#### CHILLER

##### RTWP127LS3-GN

**Gross Volume:** 282 ltrs  
**Net Volume:** 262 ltrs  
**Dimensions (with 150 mm leg):** 1200 (W) x 700 (D) x 850 (H)  
**Power Supply:** 230V AC / 50Hz  
**Temperature Range:** -2°C to 12°C  
**Shelf:** 4 nos. of GN rail (with shelves)

##### RTWP177LS3-GN

436 ltrs  
408 ltrs  
1660 (W) x 700 (D) x 850 (H)  
230V AC / 50Hz  
-2°C to 12°C  
6 nos. of GN rail (with shelves)

#### FREEZER

##### FTWP127LS3-GN

282 ltrs  
262 ltrs  
1200 (W) x 700 (D) x 850 (H)  
230V AC / 50Hz  
-7°C to -23°C  
4 nos. of GN rail (with shelves)

##### FTWP177LS3-GN

436 ltrs  
408 ltrs  
1660 (W) x 700 (D) x 850 (H)  
230V AC / 50Hz  
-7°C to -23°C  
6 nos. of GN rail (with shelves)

#### NSF READY SANITARY CONSTRUCTION



Easy to Clean



Rounded Inner Cabinet Corners



No Sharp Edges or Corners at Accessible Area

#### CUSTOMIZED CONTROLLER



Illuminated Logo



Big Size Display



Always on Power Display



Soft Touch Buttons



Eco Mode



°C or °F Selection

#### MAIN FEATURES



Super Tropicalized



Energy Efficient



Maintenance Free



Green Technology



Smart Energy Saving Electronic Controller



Durable SS Parts



160~270v Operational Wide Voltage Compatibility



**KANTEEN INDIA EQUIPMENTS CO.**

CB-59, Sector 1, Salt Lake City, Kolkata 700064, WB, India

Customer Care: +91-8100-777-000

E-mail: sales@kanteenindia.com | Website: www.kanteenindia.com



SCAN ME



SINCE 1972

**Kanteen**<sup>®</sup>  
SINCE 1950



A CHILLING NEW WORLD BY  
**WESTERN**



@kanteenindia

+91-8100-777-000

# Canopy Models



## SRC20HC-GL

**External Dimensions (mm):** 350 (W) x 475 (D) x 507 (H)  
**Internal Dimensions (mm):** 270 (W) x 335 (D) x 380 (H)  
**Gross Volume:** 27 Liters 02  
**No. of Shelves:**

| 300ml Bottle | 330ml Can | 500ml Pet |
|--------------|-----------|-----------|
| 12 nos.      | 28 nos.   | 12 nos.   |
| 4            | 4         | 4         |

**Capacity:**  
**Facing:**



## SRC25HC-GL

**External Dimensions (mm):** 346 (W) x 430 (D) x 635 (H)  
**Internal Dimensions (mm):** 270 (W) x 295 (D) x 370 (H)  
**Gross Volume:** 29.5 Liters 02

| 300ml Bottle | 330ml Can | 500ml Pet |
|--------------|-----------|-----------|
| 16 nos.      | 20 nos.   | 14 nos.   |
| 4            | 4         | 4         |



## SRC30HC-GL

**External Dimensions (mm):** 350 (W) x 460 (D) x 630 (H)  
**Internal Dimensions (mm):** 270 (W) x 325 (D) x 500 (H)  
**Gross Volume:** 37 Liters 02

| 300ml Bottle | 330ml Can | 500ml Pet |
|--------------|-----------|-----------|
| 16 nos.      | 32 nos.   | 14 nos.   |
| 4            | 4         | 4         |



## SRC60HC-GL

**External Dimensions (mm):** 462 (W) x 474 (D) x 664 (H)  
**Internal Dimensions (mm):** 382 (W) x 362 (D) x 542 (H)  
**Gross Volume:** 59 Liters 02  
**No. of Shelves:**

| 300ml Bottle | 330ml Can | 500ml Pet |
|--------------|-----------|-----------|
| 36 nos.      | 60 nos.   | 30 nos.   |
| 6            | 5         | 5         |

**Capacity:**  
**Facing:**



## SRC150HC-GL

**External Dimensions (mm):** 484 (W) x 547 (D) x 981 (H)  
**Internal Dimensions (mm):** 404 (W) x 419 (D) x 845 (H)  
**Gross Volume:** 139 Liters 04

| 300ml Bottle | 330ml Can | 500ml Pet |
|--------------|-----------|-----------|
| 90 nos.      | 156 nos.  | 83 nos.   |
| 6            | 6         | 6         |

**Capacity:**  
**Facing:**



Internal LED Light



Low Maintenance Condenser



Energy Efficient



Hydro-carbon Refrigerant Models

Product features and specifications subject to change without notice

# Non - Canopy Models



## SRC200HCF-GL

**External Dims. (mm):** 514 (W) x 549 (D) x 1265 (H)  
**Internal Dims. (mm):** 434 (W) x 454 (D) x 850 (H)  
**Gross Volume:** 167 Liters  
**No. of Shelves:** 03

|                  | 300ml<br>Bottle | 330ml<br>Can | 500ml<br>Pet |
|------------------|-----------------|--------------|--------------|
| <b>Capacity:</b> | 105 nos.        | 198 nos.     | 90 nos.      |
| <b>Facing:</b>   | 7               | 6            | 6            |

## SRC280HCF-GL

**External Dims. (mm):** 514 (W) x 549 (D) x 1515 (H)  
**Internal Dims. (mm):** 434 (W) x 454 (D) x 1100 (H)  
**Gross Volume:** 216 Liters 04

|                  | 300ml<br>Bottle | 330ml<br>Can | 500ml<br>Pet |
|------------------|-----------------|--------------|--------------|
| <b>Capacity:</b> | 147 nos.        | 270 nos.     | 126 nos.     |
| <b>Facing:</b>   | 7               | 6            | 6            |

## SRC360HCF-GL

**External Dims. (mm):** 514 (W) x 620 (D) x 1740 (H)  
**Internal Dims. (mm):** 434 (W) x 520 (D) x 1330 (H)  
**Gross Volume:** 302 Liters 05

|                  | 300ml<br>Bottle | 330ml<br>Can | 500ml<br>Pet |
|------------------|-----------------|--------------|--------------|
| <b>Capacity:</b> | 242 nos.        | 396 nos.     | 192 nos.     |
| <b>Facing:</b>   | 7               | 6            | 6            |



## SRC380HCF-GL

**External Dims. (mm):** 573 (W) x 655 (D) x 1740 (H)  
**Internal Dims. (mm):** 493 (W) x 520 (D) x 1330 (H)  
**Gross Volume:** 340 Liters 05  
**No. of Shelves:**

|                  | 300ml<br>Bottle | 330ml<br>Can | 500ml<br>Pet |
|------------------|-----------------|--------------|--------------|
| <b>Capacity:</b> | 279 nos.        | 469 nos.     | 224 nos.     |
| <b>Facing:</b>   | 8               | 7            | 7            |

## SRC501HCF-GL

**External Dims. (mm):** 573 (W) x 667 (D) x 2007 (H)  
**Internal Dims. (mm):** 493 (W) x 520 (D) x 1580 (H)  
**Gross Volume:** 405 Liters 06

|                  | 300ml<br>Bottle | 330ml<br>Can | 500ml<br>Pet |
|------------------|-----------------|--------------|--------------|
| <b>Capacity:</b> | 300 nos.        | 567 nos.     | 273 nos.     |
| <b>Facing:</b>   | 8               | 7            | 7            |



Internal LED Light



Low Maintenance  
Condenser



Energy Efficient



Hydro-carbon  
Refrigerant Models

Product features and specifications subject to change without notice

# Canopy Models



The model does not have the temperature indicator

\* Also available in Grey

\* Also available in Grey

\* Also available in Grey

|                                  | SRC201HCF-GLWH               |           |           |
|----------------------------------|------------------------------|-----------|-----------|
| <b>External Dimensions (mm):</b> | 514 (W) x 549 (D) x 1475 (H) |           |           |
| <b>Internal Dimensions (mm):</b> | 434 (W) x 454 (D) x 850 (H)  |           |           |
| <b>Gross Volume:</b>             | 167 Liters                   |           |           |
| <b>No. of Shelves:</b>           | 03                           |           |           |
|                                  | 300ml Bottle                 | 330ml Can | 500ml Pet |
| <b>Capacity:</b>                 | 105 nos.                     | 198 nos.  | 90 nos.   |
| <b>Facing:</b>                   | 7                            | 6         | 6         |

|                                  | SRC281HCF-GLWH               |           |           |
|----------------------------------|------------------------------|-----------|-----------|
| <b>External Dimensions (mm):</b> | 514 (W) x 549 (D) x 1725 (H) |           |           |
| <b>Internal Dimensions (mm):</b> | 434 (W) x 454 (D) x 1100 (H) |           |           |
| <b>Gross Volume:</b>             | 216 Liters                   |           |           |
| <b>No. of Shelves:</b>           | 04                           |           |           |
|                                  | 300ml Bottle                 | 330ml Can | 500ml Pet |
| <b>Capacity:</b>                 | 147 nos.                     | 270 nos.  | 126 nos.  |
| <b>Facing:</b>                   | 7                            | 6         | 6         |

|                                  | SRC381HCF-GLWH               |           |           |
|----------------------------------|------------------------------|-----------|-----------|
| <b>External Dimensions (mm):</b> | 573 (W) x 655 (D) x 1940 (H) |           |           |
| <b>Internal Dimensions (mm):</b> | 625 (W) x 685 (D) x 1330 (H) |           |           |
| <b>Gross Volume:</b>             | 340 Liters                   |           |           |
| <b>No. of Shelves:</b>           | 05                           |           |           |
|                                  | 300ml Bottle                 | 330ml Can | 500ml Pet |
| <b>Capacity:</b>                 | 279 nos.                     | 469 nos.  | 224 nos.  |
| <b>Facing:</b>                   | 8                            | 7         | 7         |

# Header on Door Models



|                                  | SRC502HC-GL                  |           |           |
|----------------------------------|------------------------------|-----------|-----------|
| <b>External Dimensions (mm):</b> | 583 (W) x 707 (D) x 2075 (H) |           |           |
| <b>Internal Dimensions (mm):</b> | 503 (W) x 560 (D) x 1634 (H) |           |           |
| <b>Gross Volume:</b>             | 460 Liters                   |           |           |
| <b>No. of Shelves:</b>           | 06                           |           |           |
|                                  | 300ml Bottle                 | 330ml Can | 500ml Pet |
| <b>Capacity:</b>                 | 332 nos.                     | 567 nos.  | 273 nos.  |
| <b>Facing:</b>                   | 8                            | 7         | 7         |

|                                  | SRC572HC-GL                  |           |           |
|----------------------------------|------------------------------|-----------|-----------|
| <b>External Dimensions (mm):</b> | 640 (W) x 707 (D) x 2075 (H) |           |           |
| <b>Internal Dimensions (mm):</b> | 560 (W) x 560 (D) x 1634 (H) |           |           |
| <b>Gross Volume:</b>             | 510 Liters                   |           |           |
| <b>No. of Shelves:</b>           | 06                           |           |           |
|                                  | 300ml Bottle                 | 330ml Can | 500ml Pet |
| <b>Capacity:</b>                 | 376 nos.                     | 648 nos.  | 312 nos.  |
| <b>Facing:</b>                   | 9                            | 8         | 8         |

|                                  | SRC752HC-GL                  |           |           |
|----------------------------------|------------------------------|-----------|-----------|
| <b>External Dimensions (mm):</b> | 720 (W) x 707 (D) x 2075 (H) |           |           |
| <b>Internal Dimensions (mm):</b> | 640 (W) x 560 (D) x 1634 (H) |           |           |
| <b>Gross Volume:</b>             | 585 Liters                   |           |           |
| <b>No. of Shelves:</b>           | 06                           |           |           |
|                                  | 300ml Bottle                 | 330ml Can | 500ml Pet |
| <b>Capacity:</b>                 | 400 nos.                     | 630 nos.  | 315 nos.  |
| <b>Facing:</b>                   | 10                           | 9         | 9         |



Internal LED Light



Low Maintenance Condenser



Energy Efficient



Hydro-carbon Refrigerant Models

# Double Door Models



## SRC 810 HC-GL

**External Dims. (mm):** 1025 (W) x 668 (D) x 1840 (H)  
**Internal Dims. (mm):** 945 (W) x 538 (D) x 1365 (H)  
**Gross Volume:** 695 Liters  
**No. of Shelves:** 10

|                 |              |              |
|-----------------|--------------|--------------|
| 300ml<br>Bottle | 330ml<br>Can | 500ml<br>Pet |
|-----------------|--------------|--------------|

**Capacity:** 555 nos. 895 nos. 434 nos.  
**Facing:** 8 + 7 7 + 7 7 + 7

## SRC 950 HC-GL

**External Dims. (mm):** 1025 (W) x 707 (D) x 2052 (H)  
**Internal Dims. (mm):** 945 (W) x 552 (D) x 1592 (H)  
**Gross Volume:** 807 Liters  
**No. of Shelves:** 10

|                 |              |              |
|-----------------|--------------|--------------|
| 300ml<br>Bottle | 330ml<br>Can | 500ml<br>Pet |
|-----------------|--------------|--------------|

**Capacity:** 600 nos. 980 nos. 490 nos.  
**Facing:** 8 + 7 7 + 7 7 + 7



## SRC 1050HC-GL

**External Dims. (mm):** 1025 (W) x 767 (D) x 2121 (H)  
**Internal Dims. (mm):** 945 (W) x 612 (D) x 1592 (H)  
**Gross Volume:** 908 Liters  
**No. of Shelves:** 12

|                 |              |              |
|-----------------|--------------|--------------|
| 300ml<br>Bottle | 330ml<br>Can | 500ml<br>Pet |
|-----------------|--------------|--------------|

**Capacity:** 675 nos. 1161 nos. 540 nos.  
**Facing:** 7 + 8 7 + 7 7 + 7

## SRC 1055HC-GL

**External Dims. (mm):** 1025 (W) x 767 (D) x 2121 (H)  
**Internal Dims. (mm):** 945 (W) x 619 (D) x 1592 (H)  
**Gross Volume:** 916 Liters  
**No. of Shelves:** 12

|                 |              |              |
|-----------------|--------------|--------------|
| 300ml<br>Bottle | 330ml<br>Can | 500ml<br>Pet |
|-----------------|--------------|--------------|

**Capacity:** 675 nos. 1152 nos. 588 nos.  
**Facing:** 8 + 7 7 + 7 7 + 7



Internal LED Light



Low Maintenance  
Condenser



Energy Efficient



Hydro-carbon  
Refrigerant Models

Product features and specifications subject to change without notice

# Triple Door Model



## SRC1800-GL

External Dims. (mm): 1800 (W) x 850 (D) x 2201 (H)  
 Internal Dims. (mm): 1700 (W) x 678 (D) x 1680 (H)  
 Gross Volume: 1882 Liters 15  
 No. of Shelves:

|           | 300ml<br>Bottle | 330ml<br>Can | 500ml<br>Pet |
|-----------|-----------------|--------------|--------------|
| Capacity: | 1275 nos.       | 2040 nos.    | 1020 nos.    |
| Facing:   | 9+9+9           | 8+8+8        | 8+8+8        |



Double Internal  
LED Light



Low Maintenance  
Condenser



Energy  
Efficient



Hydro-carbon  
Refrigerant Models

# Supermarket Refrigeration



Also Available in  
Freezer application

## SMR12-GL (CHILLER)

External Dimensions (mm): 1200 (W) x 757 (D) x 2022 (H)  
 Internal Dimensions (mm): 1077 (W) x 590 (D) x 1495 (H)  
 Gross Volume: 935 Liters 10  
 No. of Shelves:

| 300ml<br>Bottle | 330ml<br>Can | 500ml<br>Pet |
|-----------------|--------------|--------------|
| 712 nos.        | 1176 nos.    | 556 nos.     |

Capacity: 712 nos. 1176 nos. 556 nos.  
 Facing: 7+8 7+7 7+7

## SMR18-GL (CHILLER)

External Dimensions (mm): 1800 (W) x 757 (D) x 2022 (H)  
 Internal Dimensions (mm): 1676 (W) x 590 (D) x 1495 (H)  
 Gross Volume: 1454 Liters 15

| 300ml<br>Bottle | 330ml<br>Can | 500ml<br>Pet |
|-----------------|--------------|--------------|
| 1007 nos.       | 1870 nos.    | 898 nos.     |

Capacity: 1007 nos. 1870 nos. 898 nos.  
 Facing: 8+7 7+7 7+7



Low Maintenance  
Condenser



Inbuilt Door Handle



Internal LED Light



Low Energy  
Consumption

# Plug-in Open Showcase



## WOSC04WH

**External Dimensions (mm):** 1280 (W) x 750 (D) x 1930 (H)  
**Net Volume:** 610 Liters  
**No. of Shelves:** 4  
**Product Temperature:** 1 - 100C  
**Total Display Area (M2):** 2.25



Low Maintenance  
Condenser



Energy  
Efficient



Hydro-carbon  
Refrigerant Models

## WOSC06WH

**External Dimensions (mm):** 1890 (W) x 750 (D) x 1930 (H)  
**Net Volume:** 920 Liters  
**No. of Shelves:** 4  
**Product Temperature:** 1 - 100C  
**Total Display Area (M2):** 3.09



Low Maintenance  
Condenser



Energy  
Efficient



Hydro-carbon  
Refrigerant Models




SCAN ME



@kanteenindia



**Kanteen**<sup>®</sup>  
S I N C E 1 9 5 0



**+91-8100-777-000**

## **KANTEEN INDIA EQUIPMENTS CO.**

CB-59, Sector 1, Salt Lake City, Kolkata 700064, WB, India

Customer Care: +91-8100-777-000

E-mail: [sales@kanteenindia.com](mailto:sales@kanteenindia.com) | [service@kanteenindia.com](mailto:service@kanteenindia.com)

Website: [www.kanteenindia.com](http://www.kanteenindia.com)



**Kanteen**<sup>®</sup>  
S I N C E 1 9 5 0



@kanteenindia



SCAN ME

**Kanteen**<sup>®</sup>  
SINCE 1950



# BOUNDLESS COOLING POSSIBILITIES

WITH OUR ENGINEERED FOR EXCELLENCE FREEZER



@kanteenindia

+91-8100-777-000

# Hard Top Freezers

**Kanteen**<sup>®</sup>  
SINCE 1950



### D070H161

**Volume:** 72 Liters  
**Dimensions (mm):** 535 (W) x 518 (D) x 841 (H)  
**No. of Baskets:** 1  
 Conver tible  
**Insulation:** 60mm Polyurethane



### D150H164

106 Liters  
 635 (W) x 540 (D) x 885 (H)  
 1  
 Conver tible  
 70mm Polyurethane



### D225H122

190 Liters  
 760 (W) x 695 (D) x 840 (H)  
 1  
 Conver tible  
 60mm Polyurethane



### D300H124

**Volume:** 220 Liters  
**Dimensions (mm):** 933 (W) x 612 (D) x 890 (H)  
**No. of Baskets:** 1  
 Conver tible  
**Insulation:** 70mm Polyurethane



### D300H224

224 Liters  
 933 (W) x 612 (D) x 890 (H)  
 1  
 Conver tible  
 70mm Polyurethane

**Temperature Range:** Freezer application: <-17°C, Cooler application: <10°C

**Convertible Technology:** Freezer or Cooler



**D350H225**

**Volume:** 282 Liters  
**Dimensions (mm):** 1205 (W) x 612 (D) x 840 (H)  
**No. of Baskets:** 1  
 Conver tible  
**Insulation:** 70mm Polyurethane

**D375H225**

306 Liters  
 1205 (W) x 612 (D) x 890 (H)  
 1  
 Conver tible  
 70mm Polyurethane

**D475H224**

444 Liters  
 1360 (W) x 695 (D) x 880 (H)  
 2  
 Conver tible  
 60mm Polyurethane



**D525H224**

**Volume:** 505 Liters  
**Dimensions (mm):** 1606 (W) x 695 (D) x 840 (H)  
**No. of Baskets:** 2  
 Conver tible  
**Insulation:** 60mm Polyurethane

**D625H225**

568 Liters  
 1655 (W) x 690 (D) x 900 (H)  
 2  
 Conver tible  
 60mm Polyurethane

**D875H325**

722 Liters  
 1860 (W) x 780 (D) x 908 (H)  
 1  
 Conver tible  
 60mm Polyurethane

# Glass Top Freezers



## F250GL25

**Volume:** 192 Liters  
**Dimensions (mm):** 760 (W) x 695 (D) x 882 (H)  
**No. of Baskets:** 1



## F350GL25

**Volume:** 311 Liters  
**Dimensions (mm):** 1060 (W) x 695 (D) x 882 (H)  
**No. of Baskets:** 1



## F450GL25

**Volume:** 422 Liters  
**Dimensions (mm):** 1360 (W) x 695 (D) x 882 (H)  
**No. of Baskets:** 2



## F550GL25

**Volume:** 536 Liters  
**Dimensions (mm):** 1650 (W) x 695 (D) x 882 (H)  
**No. of Baskets:** 3

**Temperature Range:** <-17°C | **Insulation:** 60mm Polyurethane

# Curved Glass Top Freezers



## F325GC23

**Volume:** 284 Liters  
**Dimensions (mm):** 1095 (W) x 644 (D) x 888 (H)  
**No. of Baskets:** 2



## F425GC23

**Volume:** 350 Liters  
**Dimensions (mm):** 1296 (W) x 644 (D) x 888 (H)  
**No. of Baskets:** 3

**Temperature Range:** <-17°C | **Insulation:** 60mm Polyurethane

# Hatched Door & Hard Top Eutectic Freezers



|                           | <b>E325H220</b>              | <b>E425H220</b>              | <b>E425D220</b>              | <b>E525D320</b>              |
|---------------------------|------------------------------|------------------------------|------------------------------|------------------------------|
| <b>Volume:</b>            | 253 Liters                   | 351 Liters                   | 351 Liters                   | 440 Liters                   |
| <b>Dimensions (mm):</b>   | 1060 (W) x 695 (D) x 840 (H) | 1360 (W) x 695 (D) x 840 (H) | 1360 (W) x 695 (D) x 920 (H) | 1600 (W) x 695 (D) x 920 (H) |
| <b>No. of Baskets:</b>    | 1                            | 2                            | N.A.                         | N.A.                         |
| <b>Temperature Range:</b> | <-17°C                       | <-17°C                       | <-17°C                       | <-17°C                       |
| <b>Insulation:</b>        | 80mm Polyurethane            | 80mm Polyurethane            | 80mm Polyurethane            | 80mm Polyurethane            |

# Glass Top Eutectic Freezers

# Scooping Freezers



|                           | <b>E425GT20</b>              | <b>F450GT25</b> Scooping      | <b>F550GT25</b> Scooping      |
|---------------------------|------------------------------|-------------------------------|-------------------------------|
| <b>Volume:</b>            | 354 Liters                   | 422 Liters                    | 536 Liters                    |
| <b>Dimensions (mm):</b>   | 1360 (W) x 695 (D) x 795 (H) | 1360 (W) x 695 (D) x 1226 (H) | 1650 (W) x 695 (D) x 1226 (H) |
| <b>No. of Baskets:</b>    | 2                            | 3                             | 4                             |
| <b>Temperature Range:</b> | <-17°C                       | <-17°C                        | <-17°C                        |
| <b>Insulation:</b>        | 80mm Polyurethane            | 60mm Polyurethane             | 60mm Polyurethane             |

**Temperature Range:** <-17°C | **Insulation:** 60mm Polyurethane

# Freezer on Wheels



## G200H120

**Volume:** 117 Liters  
**Dimensions (mm):** 940 (W) x 640 (D) x 785 (H)  
**No. of Baskets:** N.A.

## G300H220

**Volume:** 206 Liters  
**Dimensions (mm):** 990 (W) x 633 (D) x 890 (H)  
**No. of Baskets:** N.A.

**Temperature Range:** <-17°C | **Insulation:** 60mm Polyurethane

# Combi Freezers



## B325H220

**Volume:** Freezer- 162 L / Cooler-123 L  
**Dimensions (mm):** 1120 (W) x 695 (D) x 840 (H)  
**No. of Baskets:** 1-Freezer Compartment

## B425H220

**Volume:** Freezer- 162 L / Cooler-205 L  
**Dimensions (mm):** 1360 (W) x 695 (D) x 840 (H)  
**No. of Baskets:** 1-Freezer Compartment

## B525H220

**Volume:** Freezer- 215 L / Cooler-258 L  
**Dimensions (mm):** 1610 (W) x 695 (D) x 840 (H)  
**No. of Baskets:** 1-Freezer Compartment

**Temperature Range:** Freezer application: <-17°C, Cooler Compartment: <10°C | **Insulation:** 60mm Polyurethane

# Vertical Freezers

**Kanteen**<sup>®</sup>  
SINCE 1950



### SRF206HC-GL

Volume: Dimensions 138 Liters

(mm): 514 (W) x 549 (D) x 1265 (H)

No. of Shelves: 03

### SRF350HC1-GLI

341 Liters

623 (W) x 680 (D) x 1790 (H)

04

### SRF500HC-GLI

465 Liters

623 (W) x 750 (D) x 2089 (H)


05

### SRF506HC-GLI

467 Liters

623 (W) x 715 (D) x 2099 (H)

06



**Kanteen**<sup>®</sup>  
SINCE 1950



@kanteenindia

**+91-8100-777-000**

## KANTEEN INDIA EQUIPMENTS CO.

CB-59, Sector 1, Salt Lake City, Kolkata 700064, WB, India

Customer Care: +91-8100-777-000

E-mail: [sales@kanteenindia.com](mailto:sales@kanteenindia.com) | [service@kanteenindia.com](mailto:service@kanteenindia.com)

Website: [www.kanteenindia.com](http://www.kanteenindia.com)





**Kanteen**<sup>®</sup>  
S I N C E 1 9 5 0

# CONFECTIONARY CABINET



MADE IN INDIA



CAKE  
PASTRY  
SWEETS

ONE SOLUTION FOR  
KEEPING ALL THIS FRESH!



**PTW  
06**

### PASTRY CABINET PTW06

|                      |                              |
|----------------------|------------------------------|
| Gross Volume (Ltr.)  | 232                          |
| Net Volume (Ltr.)    | 205                          |
| External Dims. (mm)  | 600 (W) x 665 (D) x 1235 (H) |
| Internal Dims. (mm)  | 510 (W) x 596 (D) x 710 (H)  |
| Foot Print (Sq Mtr.) | 0.4                          |
| Refrigerant          | R290                         |
| Temperature Range    | 2° to 10° C                  |
| Shelves (Nos.)       | Base + 3 Shelves             |

AVAILABLE  
VARIANTS

— **HOT CABINET | AMBIENT CABINET**



**PTW  
09**

### PASTRY CABINET PTW09

|                      |                              |
|----------------------|------------------------------|
| Gross Volume (Ltr.)  | 360                          |
| Net Volume (Ltr.)    | 320                          |
| External Dims. (mm)  | 900 (W) x 665 (D) x 1235 (H) |
| Internal Dims. (mm)  | 810 (W) x 570 (D) x 710 (H)  |
| Foot Print (Sq Mtr.) | 0.6                          |
| Refrigerant          | R290                         |
| Temperature Range    | 2° to 10° C                  |
| Shelves (Nos.)       | Base + 3 Shelves             |

AVAILABLE  
VARIANTS

— **HOT CABINET | AMBIENT CABINET**

- Adjustable Glass Shelves Electronic
- Temperature Control Roller Wheels (PTW 06)
- LED Lamps for Individual Shelves
- Water fall shelf design for better display
- Faster Pull Down Stainless Steel
- Inner Bottom Shelf On/Off Switch for Lights and Glass Heater
- Strong shelving
- Front Heated Glass
- Castor Wheel for Easy Movement
- Wire on Tube Condenser for Low Maintenance

### PASTRY CABINET PTW12

|                      |                               |
|----------------------|-------------------------------|
| Gross Volume (Ltr.)  | 500                           |
| Net Volume (Ltr.)    | 435                           |
| External Dims. (mm)  | 1200 (W) x 665 (D) x 1235 (H) |
| Internal Dims. (mm)  | 1110 (W) x 570 (D) x 710 (H)  |
| Foot Print (Sq Mtr.) | 0.8                           |
| Refrigerant          | R290                          |
| Temperature Range    | 2° to 10° C                   |
| Shelves (Nos.)       | Base + 3 Shelves              |

AVAILABLE  
VARIANTS

HOT CABINET AMBIENT CABINET | LOW  
COST VARIANT STAINLESS STEEL  
VARIANT



### PASTRY CABINET PTW15

|                      |                               |
|----------------------|-------------------------------|
| Gross Volume (Ltr.)  | 660                           |
| Net Volume (Ltr.)    | 577                           |
| External Dims. (mm)  | 1500 (W) x 665 (D) x 1235 (H) |
| Internal Dims. (mm)  | 1410 (W) x 570 (D) x 710 (H)  |
| Foot Print (Sq Mtr.) | 1                             |
| Refrigerant          | R290                          |
| Temperature Range    | 2° to 10° C                   |
| Shelves (Nos.)       | Base + 3 Shelves              |

AVAILABLE  
VARIANTS

HOT CABINET | AMBIENT CABINET



- Adjustable Glass Shelves Electronic
- Temperature Control Roller Wheels (PTW 06)
- LED Lamps for Individual Shelves
- Water fall shelf design for better display

Faster Pull Down Stainless Steel  
Inner Bottom Shelf On/Off Switch  
for Lights and  
Glass Heater  
Strong shelving

- Front Heated Glass
- Castor Wheel for Easy Movement
- Wire on Tube Condenser for Low Maintenance




# Golden Confectionary Cabinet

## FEATURES

- Elegantly Golden Radiance
- Sturdy Waterfall Shelving for Optimal Display
- Durable Shelves Designed to Support Mithai Weights
- Seamless Customization with Adjustable Shelving
- Secure Power System with Anti-Rodent Conduit Protection

## SPECIFICATIONS

|                          | PTW09HC-GD                   | PTW12HC-GD                    | PTW15HC-GD                    |
|--------------------------|------------------------------|-------------------------------|-------------------------------|
| Gross Volume (Ltr.)      | 360                          | 500                           | 660                           |
| Net Volume (Ltr.)        | 320                          | 435                           | 577                           |
| External Dimensions (mm) | 900 (W) x 665 (D) x 1235 (H) | 1200 (W) x 665 (D) x 1235 (H) | 1500 (W) x 665 (D) x 1235 (H) |
| Internal Dimensions (mm) | 810 (W) x 570 (D) x 710 (H)  | 1110 (W) x 570 (D) x 710 (H)  | 1410 (W) x 570 (D) x 710 (H)  |
| Foot Print (Sq. Mtr.)    | 0.6                          | 0.8                           | 1                             |
| Refrigerant              | R290                         | R290                          | R290                          |
| Temperature Range        | 2 to 100 C                   | 2 to 100 C                    | 2 to 100 C                    |
| Shelves (Nos.)           | 3 + 1                        | 3 + 1                         | 3 + 1                         |



## KANTEEN INDIA EQUIPMENTS CO.

CB-59, Sector 1, Salt Lake City, Kolkata 700064, WB, India

Customer Care: +91-8100-777-000

E-mail: [sales@kanteenindia.com](mailto:sales@kanteenindia.com) | [service@kanteenindia.com](mailto:service@kanteenindia.com)

Website: [www.kanteenindia.com](http://www.kanteenindia.com)



@kanteenindia



WANT TO KNOW MORE?  
SCAN HERE!



**Kanteen**<sup>®</sup>  
S I N C E 1 9 5 0

# VERTICAL PASTRY CABINET



**HIGH** ON VISIBILITY &  
**BIG** ON FRESHNESS



Follow us on   

# Introducing the All-New Vertical Pastry Cabinet

## PTW775VHC-P

Designed for Modern Bakeries & Cafés

A perfect mix of stylish design, smart use of space, and powerful performance – this cabinet make your desserts look amazing while keeping them fresh and Delicious.



### SPECIFICATIONS

**Volume** 658 ltrs  
**External Dimensions mm:** 720 (W) x 822 (D) x 1937 (H)  
**Internal Dimensions mm:** 640 (W) x 680 (D) x 1631 (H)  
**Temperature Range:** 2°C to 10°C 4.23 Units/Day  
**Energy Efficiency: Shelf:** 7+1 nos. 0.98 sq. m 4  
**Display Area: Illumination:** Vertical LEDs on Front & Rear

### KEY FEATURES



#### APPEALING DESIGN

Slim vertical build, ideal for compact or tight spaces



#### EDGE-LIT ILLUMINATION

Stylish LED lighting enhances product visibility and display appeal



#### THREE-SIDE VISIBILITY

Crystal-clear glass on the front and both sides for maximum product visibility



#### ENERGY EFFICIENT

Low power consumption helps reduce operating costs



#### PRECISE TEMPERATURE CONTROL

Ensures optimal freshness and display conditions for cakes



#### HIGH CAPACITY

7+1 shelves can hold up to 30-32 cakes 1 kg (each)



#### ROBUST SHELVING

High-density shelves designed to hold 4-5 cakes each

## KANTEEN INDIA EQUIPMENTS CO.


CB-59, Sector 1, Salt Lake City, Kolkata 700064, WB, India

Customer Care: +91-8100-777-000

E-mail: sales@kanteenindia.com | Website: www.kanteenindia.com




**Kanteen**<sup>®</sup>  
S I N C E 1 9 5 0



# ICE MACHINES

# IM - N SERIES

## Cube Size



**IM-30CA**

**Capacity:** 30 kgs/day  
**A.T. 10°C W.T.10°C:** 30  
**Production Capacity:**  
**A.T. 21°C W.T.15°C:** 28  
**A.T. 32°C W.T. 21°C:** 25  
**Bin Capacity:** 12  
**Dimension (mm):** 398 (W) x 510 (D) x 695 (H)  
**Shipping weight (kgs):** 49



**IM-45CA**

**Capacity:** 47 kgs/day  
**A.T. 10°C W.T.10°C:** 47  
**Production Capacity:**  
**A.T. 21°C W.T.15°C:** 44  
**A.T. 32°C W.T. 21°C:** 38  
**Bin Capacity:** 15  
**Dimension (mm):** 660 (W) x 570 (D) x 695 (H)  
**Shipping weight (kgs):** 65



**IM-45CNE**

**Capacity:** 44 kgs/day  
**A.T. 10°C W.T.10°C:** 44  
**Production Capacity:**  
**A.T. 21°C W.T.15°C:** 40  
**A.T. 32°C W.T. 21°C:** 32  
**Bin Capacity:** 15  
**Dimension (mm):** 633 (W) x 511 (D) x 690 (H)  
**Shipping weight (kgs):** 56



**IM-65NE LM**

**Capacity:** 63 kgs/day  
**A.T. 10°C W.T.10°C:** 63  
**Production Capacity:**  
**A.T. 21°C W.T.15°C:** 56 46 26 633 (W) x 506 (D)  
**A.T. 32°C W.T. 21°C:** x 860 (H) 61  
**Bin Capacity:**  
**Dimension (mm):**  
**Shipping weight (kgs):**



**IM-65NE Q**

**Capacity:** 26 kgs/day  
**A.T. 10°C W.T.10°C:** 26  
**Production Capacity:**  
**A.T. 21°C W.T.15°C:** 24  
**A.T. 32°C W.T. 21°C:** 20  
**Bin Capacity:** 17  
**Dimension (mm):** 633 (W) x 506 (D) x 860 (H)  
**Shipping weight (kgs):** 66



**IM-130A**

**Capacity:** 126 kgs/day  
**A.T. 10°C W.T.10°C:** 126  
**Production Capacity:**  
**A.T. 21°C W.T.15°C:** 125  
**A.T. 32°C W.T. 21°C:** 100  
**Bin Capacity:** 52  
**Dimension (mm):** 660 (W) x 570 (D) x 1200 (H)  
**Shipping weight (kgs):** 98



**IM-240NE**

**Capacity:** 220 kgs/day  
**A.T. 10°C W.T.10°C:** 220  
**Production Capacity:**  
**A.T. 21°C W.T.15°C:** 205  
**A.T. 32°C W.T. 21°C:** 160  
**Bin Capacity:** 110  
**Dimension (mm):** 704 (W) x 665 (D) x 1510 (H)  
**Shipping weight (kgs):** 128



**IM-220AA**

**Capacity:** 185 kgs/day  
**A.T. 10°C W.T.10°C:** 185  
**Production Capacity:**  
**A.T. 21°C W.T.15°C:** 170 155 Various 560 (W) x  
**A.T. 32°C W.T. 21°C:** 639 (D) x 775 (H) 76



**Kanteen**<sup>®</sup>  
SINCE 1950

# FM - FLAKES \ NUGGET ICE



## FM-80KE/N

Capacity: 65 kgs/day  
 A.T. 10°C W.T.10°C: 65  
 Production Capacity:  
 A.T. 21°C W.T.15°C: 55  
 A.T. 32°C W.T. 21°C: 45  
 Bin Capacity: 32  
 Dimension (mm): 640 (W) x 600 (D) x 800 (H)  
 Shipping weight (kgs): 75



## FM-150KE/N

Capacity: 140 kgs/day  
 A.T. 10°C W.T.10°C: 140  
 Production Capacity:  
 A.T. 21°C W.T.15°C: 120  
 A.T. 32°C W.T. 21°C: 100  
 Bin Capacity: 32  
 Dimension (mm): 640 (W) x 600 (D) x 800 (H)  
 Shipping weight (kgs): 82

## FM-300AKE/N

Capacity: 270 kgs/day  
 A.T. 10°C W.T.10°C: 270  
 Production Capacity:  
 A.T. 21°C W.T.15°C: 225  
 A.T. 32°C W.T. 21°C: 180  
 Bin Capacity: Various  
 Dimension (mm): 560 (W) x 700 (D) x 780 (H)  
 Shipping weight (kgs): 87



**Kanteen**<sup>®</sup>  
 SINCE 1950

## FM-480AKE/N

Capacity: 500 kgs/day  
 A.T. 10°C W.T.10°C: 430  
 Production Capacity:  
 A.T. 21°C W.T.15°C: 360  
 A.T. 32°C W.T. 21°C: 290  
 Bin Capacity: Various  
 Dimension (mm): 560 (W) x 700 (D) x 780 (H)  
 Shipping weight (kgs): 102

## FM-600AKE/N

Capacity: 600 kgs/day  
 A.T. 10°C W.T.10°C: 530  
 Production Capacity:  
 A.T. 21°C W.T.15°C: 460  
 A.T. 32°C W.T. 21°C: 400  
 Bin Capacity: Various  
 Dimension (mm): 560 (W) x 700 (D) x 780 (H)  
 Shipping weight (kgs): 114



## FM-750AKE/N

Capacity: 590 kgs/day  
 A.T. 10°C W.T.10°C: 590  
 Production Capacity:  
 A.T. 21°C W.T.15°C: 500  
 A.T. 32°C W.T. 21°C: 390  
 Bin Capacity: Various  
 Dimension (mm): 762 (W) x 700 (D) x 780 (H)  
 Shipping weight (kgs): 143

## FM-1000AKE/N

Capacity: 850 kgs/day  
 A.T. 10°C W.T.10°C: 850  
 Production Capacity:  
 A.T. 21°C W.T.15°C: 730  
 A.T. 32°C W.T. 21°C: 590  
 Bin Capacity: Various  
 Dimension (mm): 762 (W) x 700 (D) x 780 (H)  
 Shipping weight (kgs): 156



- Solid Stainless Steel Auger
- Sealed Gear Housing
- Auto Flush Function
- Carbon Auger Bearings



# KM - CRESCENT EDGE



**KM-40C**

**Capacity:** 43 kgs/day  
**A.T. 10°C W.T.10°C:** 43  
**Production Capacity:**  
**A.T. 21°C W.T.15°C:** 41  
**A.T. 32°C W.T. 21°C:** 33  
**Bin Capacity:** 16  
**Dimension (mm):** 452 (W) x 610 (D) x 842 (H)  
**Shipping weight (kgs):** 50



**KM-60C**

**Capacity:** 60 kgs/day  
**A.T. 10°C W.T.10°C:** 60  
**Production Capacity:**  
**A.T. 21°C W.T.15°C:** 56  
**A.T. 32°C W.T. 21°C:** 45  
**Bin Capacity:** 23  
**Dimension (mm):** 605 (W) x 610 (D) x 842 (H)  
**Shipping weight (kgs):** 58



**KM-80C**

**Capacity:** 80 kgs/day  
**A.T. 10°C W.T.10°C:** 80  
**Production Capacity:**  
**A.T. 21°C W.T.15°C:** 74  
**A.T. 32°C W.T. 21°C:** 57  
**Bin Capacity:** 34  
**Dimension (mm):** 605 (W) x 712 (D) x 842 (H)  
**Shipping weight (kgs):** 64




**KM-130C**

**Capacity:** 130 kgs/day  
**A.T. 10°C W.T.10°C:** 130  
**Production Capacity:**  
**A.T. 21°C W.T.15°C:** 120  
**A.T. 32°C W.T. 21°C:** 90  
**Bin Capacity:** 55  
**Dimension (mm):** 630 (W) x 719 (D) x 1333(H)  
**Shipping weight (kgs):** 81



**Kanteen**<sup>®</sup>  
 SINCE 1950

**Cube Size**



Crescent



Individual Hard  
 Clear Crescent Cubes



Dual Stainless  
 Steel evaporator



**KMD-201AA**

**Capacity:** 190 kgs/day  
**A.T. 10°C W.T.10°C:** 190  
**Production Capacity:**  
**A.T. 21°C W.T.15°C:** 167  
**A.T. 32°C W.T. 21°C:** 135  
**Bin Capacity:** Various  
**Dimension (mm):** 560 (W) x 625 (D) x 610 (H)  
**Shipping weight (kgs):** 73



**KMD-270AA**

**Capacity:** 265 kgs/day  
**A.T. 10°C W.T.10°C:** 265  
**Production Capacity:**  
**A.T. 21°C W.T.15°C:** 248  
**A.T. 32°C W.T. 21°C:** 221  
**Bin Capacity:** Various  
**Dimension (mm):** 560 (W) x 625 (D) x 610 (H)  
**Shipping weight (kgs):** 73



**KM-470AJ**

**Capacity:** 495 kgs/day  
**A.T. 10°C W.T.10°C:** 495  
**Production Capacity:**  
**A.T. 21°C W.T.15°C:** 480  
**A.T. 32°C W.T. 21°C:** 380  
**Bin Capacity:** Various  
**Dimension (mm):** 762 (W) x 695 (D) x 825 (H)  
**Shipping weight (kgs):** 136

# ICE DISPENSER



**Kanteen**<sup>®</sup>  
SINCE 1950

## DCM-60 KE / DCM-120KE

Capacity: 110/230 cups/hour  
 A.T. 10°C W.T.10°C: 110/230 cups/hour  
 Production Capacity:  
 A.T. 21°C W.T.15°C: 99/209 cups/hour  
 A.T. 32°C W.T. 21°C: 87/188 cups/hour  
 Bin Capacity: 1.9/4  
 Dimension (mm): 350 (W) x 585 (D) x 695 (H) / 815 (H)  
 Shipping weight (kgs): 56/66

Capcities indicated are indicated are 10°C Water & 10°C Ambient Temp



|             | B-301    | B-501    | B-801     |
|-------------|----------|----------|-----------|
|             | W: 560mm | W: 760mm | W: 1220mm |
| KMD 201AA   | ✓        | ✓        | ✓         |
| KMD 270AA   | ✓        | ✓        | ✓         |
| KM 1301SAHE |          |          | ✓         |
| FM 300AKE   | ✓        | ✓        | ✓         |
| FM 480 AKE  | ✓        | ✓        | ✓         |
| FM 600 AKE  |          | ✓        | ✓         |
| FM 750AKE   |          | ✓        | ✓         |
| FM 1000AKE  |          | ✓        | ✓         |
| IM-220AA    | ✓        | ✓        | ✓         |

## OPTIONAL BINS

B-301/ B-501/ B-801

Capacity:  
144/217/348 kgs  
 Dimensions:  
820 (D) x 1016 (H)



B-301



B-501



B-801

# WESTERN ICE MACHINE

**Kanteen**<sup>®</sup>  
SINCE 1950




## WOI 30H

|                          |  |
|--------------------------|--|
| <b>Ice Shape (mm):</b>   | Cube (22 x 22 x 22)                          |
| <b>Cap / Day (kgs):</b>  | 26.3 (210C Ambient & 150C Inlet Water Temp.) |
| <b>Storage Capacity:</b> | 9.5 kg                                       |
| <b>Dimensions (mm):</b>  | 415 (W) x 467 (D) x 768 (H) (with 25mm leg)  |
| <b>Net Weight:</b>       | 38 kg  |
| <b>Power Supply:</b>     | 230V Ac/50Hz                                 |



## Rhombic Shapes Ice



## WOI-45

|                          |  |
|--------------------------|--|
| <b>Ice Shape (mm):</b>   | Cube (22 x 22 x 22)                          |
| <b>Cap / Day (kgs):</b>  | 36.5 (210C Ambient & 150C Inlet Water Temp.) |
| <b>Storage Capacity:</b> | 15 kg  |
| <b>Dimensions (mm):</b>  | 550 (W) x 596 (D) x 897 (H) (with 90mm leg)  |
| <b>Net Weight:</b>       | 45 kg  |
| <b>Power Supply:</b>     | 230V Ac/60Hz                                 |

The Ice makers are designed to operate in an ambient temperature of 38°C and 75% RH

**Kanteen**<sup>®</sup>  
SINCE 1950



### WOI-80

|                          |  |
|--------------------------|--|
| <b>Ice Shape (mm):</b>   | Cube (22 x 22 x 22)                          |
| <b>Cap / Day (kgs):</b>  | 67.1 (210C Ambient & 150C Inlet Water Temp.) |
| <b>Storage Capacity:</b> | 32 kg  |
| <b>Dimensions (mm):</b>  | 660 (W) x 708 (D) x 1084 (H) (with 90mm leg) |
| <b>Net Weight:</b>       | 63 kg  |
| <b>Power Supply:</b>     | 230V Ac/60Hz                                 |

### WOI-125

|                          |  |
|--------------------------|--|
| <b>Ice Shape (mm):</b>   | Cube (22 x 22 x 22)                          |
| <b>Cap / Day (kgs):</b>  | 98.5 (210C Ambient & 150C Inlet Water Temp.) |
| <b>Storage Capacity:</b> | 43.6 kg                                      |
| <b>Dimensions (mm):</b>  | 660 (W) x 708 (D) x 1232 (H) (with 90mm leg) |
| <b>Net Weight:</b>       | 66 kg  |
| <b>Power Supply:</b>     | 230V Ac/60Hz                                 |



The Ice makers are designed to operate in an ambient temperature of 38°C and 75% RH

[sales@kanteenindia.com](mailto:sales@kanteenindia.com)


[www.kanteenindia.com](http://www.kanteenindia.com)

+91-8100-777-000

**Kanteen**<sup>®</sup>  
SINCE 1950



-  WESTERN BRANCH OFFICES
-  SERVICE STATIONS



 **RELIABLE SERVICE**  
Our extensive service network ensures swift service and maintenance for all Western Equipment.  
Call us at: **+91-8100-777-000**

 **COMPLETE SALES SUPPORT**  
With 25 branches across India, we're here to fulfill all your refrigeration needs.  
Reach out at: **+91-8100-777-000**



## **KANTEEN INDIA EQUIPMENTS CO.**

CB-59, Sector 1, Salt Lake City, Kolkata 700064, WB, India

Customer Care: +91-8100-777-000

E-mail: [sales@kanteenindia.com](mailto:sales@kanteenindia.com) | [service@kanteenindia.com](mailto:service@kanteenindia.com)

Website: [www.kanteenindia.com](http://www.kanteenindia.com)



**WANT TO KNOW MORE?  
SCAN HERE!**